

PYROCIDE® CONCENTRATE 7369

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A.

TELEPHONE (763) 544-0341

FOR USE IN HORSE BARNS, DAIRY BARNS, KENNELS AND OTHER ANIMAL AREAS LISTED

	ACTIVE INGREDIENTS:	
	Pyrethrins	3.00%
	* Piperonyl butoxide, Technical	30.00%
**		67.00%
		00.00%
	** Contains Petroleum Distillate PYROCIDE® - Registered trademark of McLaughlin Gormley King Co.	

KEEP OUT OF REACH OF CHILDRE

	VARSTAIR \
IF IN EYES:	 Hold eye open and rinse slewly and gently with water for 15-20 minutes.
	Remove contact lenses (if present after tire) to minutes, then continue rinsing eyes.
	- Call a poison control center for treathning advice.
IF ON SKIN OR	Take off contaminated civiting
CLOTHING:	Rinse skin immediately with plenty of water for 15-20 minutes.
	 Call a peison control content of the treatment advice.
IF INHALED:	Move person to fresh air.
	if person is not breathing, call 9)1 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if
	(ppesible.)
	Call a poleon control center or doctor for further treatment advice.
IF SWALLOWED:	Invendialely call a poison control center or doctor.
	Do not give any liquid to the person.
	Do not induce vomiting unless told to do so by a poison control center or a doctor.
	Do not give anything by mouth to an unconscious person.
NOTE TO BUSINESS	

NOTE TO PHYSICIAN: This product contains petroleum distillate and may pose an aspiration pneumonia hazard. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive. Causes irreversible eye damage. Harmful if swallowed, absorbed through skin, or inhaled. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Do not apply to food, water, feed or feed supplements. Do not apply directly to animals. Wash teats of dairy animals before milking.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to any body of water. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DO NOT USE OR STORE IN OR AROUND THE HOME

For use in horse barns, dairy and hog barns, kennels and other farm structures or buildings housing animals of poultry

Do not treat dairy or meat producing animals or their housing areas with other fly control measures containing pyrethrins and/or piperonyl butoxide in conjunction with the use of this product to avoid exceeding established tolerances for these actives.

Do not use in milk rooms where raw milk may be exposed.

FOR USE WITH HANDHELD MECHANICAL FOGGERS

To Control Houseflies, Horn Flies, Stable Flies, Horse Flies, Mosquitoes and Onats: Dilute with water as below to give 0.10% concentration and apply as a fine mist or fog. Direct spray toward the ceiling and upper corners of the room until the area is filled with mist, using about two (2) ounces per 1,000 cubic feet of space. For best results, close doors and windows before spraying, and keep them closed for ten to fifteen minutes after spraying. Ventilate the area before reoccupying.

FOR USE THROUGH AUTOMATIC SPRAYING SYSTEMS

Automatic spraying systems must not be programmed to release pesticides where tood or feed is directly exposed.

To Kill Houseflies, Horn Flies, Stable Flies, Horse Flies, Mosquitoes and Ghats: Add concentrate to tank and add water to obtain desired dilution. Agitate well while adding water. Dispense diluted socientrate through automatic spraying system. Set nozzles to deliver one (1) ounce liquid per minute. Locate nozzles to cover a maximum of 2,000 cubic feet of space per nozzle. Set timer to operate in accordance with equipment directions.

Dilute PYROCIDE Concentrate 7369 just prior to use as follows:

0.10% Pyrethrins - Add 1 part Soncentrate to 29 parts water.

0.50% Pyrethrins - Add 1 part Concentrate to 5 parts water.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place inaccessible to children. Keep container closed.

<u>PESTICIDE DISPOSAL</u>: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

<u>CONTAINER DISPOSAL</u>: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and Local procedures.

Net Contents _____ Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-1544

EPA Est. No. 1021-MN-2