

MCLAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A. - Telephone (763) 544-0341

An Emulsifiable Concentrate Containing 8 lbs. of Piperonyl Butoxide, Technical per Gallon. For use as a synergist in a tank mix to aid in improving the control of insects. Aids in inhibiting mixed function oxidative resistance in insects.

ACTIVE INGREDIENT:

 Equivalent to 73.04% (butylcarbityl) (6-propylpiperonyl) ether and 18.26% related compounds.

MGK® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN CAUTION

9/10/110/11	
FIRST AID	
IF SWALLOWED:	 Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-28 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air. If person is not breathing, call 9 N or an ambulance. Then give artificial respiration, preferably mouth to-mouth it possible. Call a poison control center or doctor for further treatment advice. or or label with you when calling a poison control center or doctor or
That's the product somethic or label with you when calling a polsetic epition definer of doctor of	

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

Net Contents _____ Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North

EPA Reg. No. 1021-1511

EPA Est. No. 1021-MN-2

PRECAUTIONARY STATEMENTS

Minneapolis, MN 55427

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled, or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chamical-resistant to this product are listed below.

Applicators and other handlers must wear long-sleeved shirt and long pants; chemical-resistant gloves such as Bantiel Laminate, Neoprene Rubber, Nitrile Rubber, or Viton; and shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Use Safety Recommendations:

Jsers\shoule.

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. The wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product.
- Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. For terrestrial uses. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the man high water mark. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not apply this product in a way that will contact workers or other persons, either directly of through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or Tribe, consult the agency responsible for pesticide regulation, Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, are:

- Coveralls:
- Chemical-resistant gloves such as Barrier Laminate, Nitrile Rubber, Neoprene Rubber, or Viton:
- Shoes plus socks

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply with product through any type of irrigation system.

This product is an emulsifiable concentrate for use in a tank mix only with insecticides and acaricides to aid in improving the control of insects. MGK PBO-8E is a synergist that aids to blocking oxidative resistance that may develop in insects and mites and has no insecticidal properties of its own.

Observing the directions and volume of water on the insecticide label, tank-mix at a rate of do to 1.0 lb. A.I. (16 ounces active ingredient) of MGK PBO-8E. 16 fluid ounces (1 pint) will provide 1.0 lb. of active ingredient. Prior to tank-mix, a compatibility test should be done using the proper proportions of chemicals and water to ensure the physical compatibility of the mixture. The tank mix application should conform to accepted use presadtions and directions for both products.

In absence of specific data or experience on growing crops and ornamentals, it is recommended that tank-mixes with product be tested for any phytotoxicity on a sample of the crop prior to use.

TANK MIX ON GROWING CROPS AND ORNAMENTALS (OUTDOORS AND IN GREENHOUSES):

ROOT AND TUBER VEGETABLES: Arracacha, Arrowroot, Purple Arrowroot, Japanese Artichoke, Jerusalem Artichoke, Beet, Sugar Beet, Edible Burdock, Carrot, Cassava (bitter or sweet), Celeriac (celery root), Chervil (turnip rooted), Chicory, Dasheen (taro), Ginger, Ginseng, Horseradish, Leren, Parsley (turnip rooted), Parsnip, Potato, Radish, Japanese Radish (Daikon), Rutabaga, Salsify (Oyster Plant), Black Salsify, Spanish Salsify, Sweet Potato, Tanier (Cocoyam), Turmeric, Turnip, True Yam, Bean Yam.

<u>LEAVES OF ROOT AND TUBER VEGETABLES</u>: Beet, Sugar Beet, Edible Burdock, Carrot, Cassava (bitter or sweet), Celeriac, Chervil (Turnip Rooted), Chicory, Dasheen, Parsnip, Radish, Japanese Radish (Daikon), Rutabaga, Black Salsify, Sweet Potato, Tanier, Turnip, True Yam.

<u>LEAFY VEGETABLES</u>: Amaranth (Leafy Amaranth, Chinese Spinach, Tampala), Arrugula (Roquette), Celery, Celtuce, Chervil, Corn Salad, Chrysanthemum (edible leaved),

Chrysanthemum (gardland), Cress (garden), Upland Cress (yellow rockets, winter cress), Dandelion, Dock (sorrel), Endive (escarole), Fennel (Florence), Lettuce, Orach, Parsley, Purslane (garden & winter), Rhubarb, Spinach, Fine Spinach (Malabar, Ceylon), Spinach (New Zealand), Swiss Chard.

<u>BRASSICA (COLE) LEAFY VEGETABLES</u>: Broccoli, Chinese Broccoli (Gai Lan), Broccoli raab (Rapini), Brussels Sprouts, Cabbage, Chinese Cabbage (Bok Choy), Chinese Mustard Cabbage (Gai Choy), Cauliflower, Collards, Kale, Kohlrabi, Mustard Greens, Rape Greens.

<u>LEGUME VEGETABLES (SUCCULENT OR DRIED)</u>: Adzuki Beans, Asparagus Beans, Blackeyed Peas, Broad Beans (Fava Beans), Catjang, Chick Peas (Garbanzo Beans), Chinese Longbeans, Cowpeas, Chowder Peas, Field Beans, Guar, Jackbeans (Sword Beans), Kidney Beans, Lablab Beans (Hyacinth Beans), Lima Beans, Lentils, Moth Beans, Mung Beans, Navy Beans, Peas (Garden Peas, Field Peas, Sugar Peas), Pigeon Peas, Pinto Beans, Rice Beans, Runner Beans, Snap Beans, Saythern Peas, Tepary Beans, Urd Beans, Wax Beans, Yardlong Beans.

FOLIAGE OF LEGUME VEGETABLES: Plant part of any legume vegetable included in the legume vegetable group that will be used as animal feed including any variety of Beans, Field Peas.

FRUTING VEGETABLES: Egoplant, Cround Cherry, Pepinos, Peppers (includes Bell Peppers, Chill Peppers, Cooking Peppers Rimentos, Sweet Peppers), Tomatillo, Tomatoes.

CUCURBIX VEGETABLES: Balsam Pear (Bitter Melon), Chinese Waxgourd (Chinese Rreserving Melon), Ctron Melon, Cucumber, Gherkin, Edible Gourds, Melons (including hybrids, Cantaloupe, Casaba, Crenshaw, Honeydew Melons, Honey Balls, Mango Melon, Muskmelon, Rersian Melon), Pumpkin, Squash (summer & winter), Watermelon (including hybrids).

<u>OTRUS PRUITS</u>: Calamondin, Citrus Citron, Citrus Hybrids, Grapefruit, Kumquats, Lemons, Mandarin (Tangerine), Orange (sweet & sour), Pummelo, Satsuma Mandarin.

POME FRUITS: Apple, Crabapple, Loquat, Pear, Oriental Pear, Quince.

STONE FRUITS: Apricot, Cherry (sweet & sour), Nectarine, Peach, Plum, Prune, Chickasaw Plum, Damson Plum, Japanese Plum.

<u>SMALL FRUITS AND BERRIES</u>: Blackberry, Blueberry, Cranberry, Currant, Dewberry, Elderberry, Gooseberry, Grape, Huckleberry, Loganberry, Olallie Berry, Black Raspberry, Red Raspberry, Strawberry, Youngberry.

ORIENTAL VEGETABLES: Japanese Artichoke, Chinese Broccoli (Gai Lan), Chinese Cabbage (Bok Choy), Chinese Mustard Cabbage (Gai Choy), Dasheen, Ginger, Ginseng, Chinese Longbeans, Mung Beans, Citron Melon, Balsam Pear (Bitter Melon), Japanese Radish (Daikon), Chinese Spinach, Chinese Waxgourd.

ADDITIONAL CROPS: Asparagus, Onion, Rice.

ORNAMENTALS: African Violet, Aster, Azalea, Begonia, Calceolaria, Calendula, Calla, Camellia, Carnation, Cineraria, Chrysanthemum, Cypress, Daffodil, Dahlia, Dogwood, Elm, Eucalyptus, Fern, Ficus, Geranium, Gladiolus, Gypsophila, Holly, Juniper, Lily, Marigold, Oak, Peony, Petunia, Philodendron, Pine, Roses, Snapdragon, Sweet Pea, Tulips, Viburnum, Wandering Jew, Yew, Zinnia.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

 $\underline{\text{PESTICIDE DISPOSAL}}. \label{eq:pestilon} \text{ Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.}$

<u>CONTAINER DISPOSAL</u>: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and Local procedures.

